

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	319	(authenticat\$4 with disk) and (encrypt\$4 with disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:50
L2	159	L1 and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:52
L3	49	L2 and password\$ and (network\$4 with computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:49
L4	2815	encrypt\$4 with (user or client or subject or person or employee or customer) with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:50
L5	2663	(authenticat\$4 with (driv\$3 or card or CD or DVD or floppy or disk)) and (encrypt\$4 with (dive\$3 or card or CD or DVD or floppy or disk))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:51
L6	318	L4 and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:52
L7	178	L6 and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:52
L8	217310	network\$4 with computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:52
L9	97	L7 and L8 and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:53
L11	78	L9 and (interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:53

L12	68	L11 and (computer near2 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:54
L13	59	L12 and (user near2 password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:57
L14	175	personal near2 authenticat\$4 near2 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:54
L15	1	L13 and L14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:54
L16	1	("6144743").URPN.	USPAT	OR	ON	2005/03/10 18:03
S1	119242	(several or numerous or many) with (computer or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:42
S2	7734	administrator with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:10
S3	18675	authentica\$4 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:10
S4	5534	(interfac\$4 or input\$4 or enter\$4 or mechanism) with (administrator or manager) with access\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:12
S5	28	cryptograph with (circuit or mechanism or device or component) with stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:14
S6	108	S1 and S2 and S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:13

S7	0	S6 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:13
S8	73	S6 and (crypt\$6 or encrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:31
S9	7007	(crypt\$ or encrypt\$) with (circuit or mechanism or device or component) with stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:15
S10	13	S6 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:15
S11	2	("6434700").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 11:34
S12	4	"6434700"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:31
S13	2	S11 and authenticat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:40
S14	8303	encrypt\$4 with access\$4 with (data or input\$3 or password\$ or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:41
S15	216766	computer with network\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:41
S16	261	S2 and S3 and S14 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:42

S17	20731	(stor\$4 or sav\$3 or maintain or keep\$3) with encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:44
S18	182	S16 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:43
S19	1493316	client or user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:43
S20	182	S18 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:43
S21	460	(stor\$4 or sav\$3 or maintain or keep\$3) with encrypt\$3 with (administrator or manager)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:44
S22	19	S18 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:44
S23	8	("6243816").URPN.	USPAT	OR	ON	2005/03/08 11:47
S24	22	("6408336").URPN.	USPAT	OR	ON	2005/03/08 12:17
S25	10	("6219700").URPN.	USPAT	OR	ON	2005/03/08 12:21
S26	15	("6178505").URPN.	USPAT	OR	ON	2005/03/08 12:22
S27	22	("6408336").URPN.	USPAT	OR	ON	2005/03/08 12:23
S28	13	("6157953").URPN.	USPAT	OR	ON	2005/03/08 12:25
S29	1	("6381631").URPN.	USPAT	OR	ON	2005/03/08 12:27
S30	3	("6249868").URPN.	USPAT	OR	ON	2005/03/08 13:09
S31	2	("6408336").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:09
S32	2	S31 and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 13:09

S33	2	("6408336").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 09:02
S34	2	S33 and authenticat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 09:39
S35	1	authenticat\$4 with disk\$4 with driv\$4 with administrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 09:41
S36	215	authenticat\$4 with disk\$4 with driv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 09:53
S37	22	S36 and(encrypt\$4 and administrator and personal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 09:48
S38	71	S36 and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 09:48
S39	991	authenticat\$4 with disk\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 09:53
S40	18675	authenticat\$4 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 09:53
S41	187024	user with access\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 09:54
S42	195	cryptograph\$4 with (circuit\$4 or component\$4) with encrypt\$4 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:01

S43	1	S39 and S40 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 09:57
S44	45	S40 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 09:57
S45	8591	((cryptograph\$4 or encrypt\$4) with (circuit\$4 or component\$4 or modul\$4 or device or processor)) and ((user or client or person or subject) with (access\$4) with (data or information or key\$4 or password or certificat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:03
S46	26148	(network with (devic\$3 or hardware or component or computer or processor or CPU)) and administrator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:09
S47	91339	(authenticat\$4 or access\$4) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:06
S48	2550	(interface or point or drive or disk or connect\$4) with (authenticat\$4 or certificat\$4 or password or key\$4) with (administrat\$4 or manager)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:09
S49	290	S45 and S46 and S47 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:10
S50	121	S49 and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:10
S51	217542	computer\$4 with network\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:31
S52	1284150	(several or numerous or many or plural\$4 or group\$4) with (computer or device or module or processor or CPU or PDA or PALM or hardware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:35

S53	3455	cisco.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:37
S54	1	linksys.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:36
S55	263	buffalo.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:37
S56	10122	network with administrator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:56
S57	0	S55 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:38
S58	0	S56 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:38
S59	17	S55 and network\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:40
S60	17	S55 and network\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:42
S61	10	netgear.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:43
S62	248	belkin.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:43

S63	0	S62 and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:43
S64	17853	network with administrat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:43
S65	0	S64 and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:44
S66	1	S62 and network\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:45
S67	8374	network\$4 near4 authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:49
S68	6702	network\$4 near3 authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:50
S69	4664	network\$4 near2 authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:50
S70	49	S53 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:50
S71	34	("6141687").URPN.	USPAT	OR	ON	2005/03/09 10:52
S72	1	("6654801").URPN.	USPAT	OR	ON	2005/03/09 10:53
S73	1	("6502192").URPN.	USPAT	OR	ON	2005/03/09 10:55
S74	53952	user with access\$4 with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:56

S75	899	encrypt\$4 and S56 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:57
S76	439	S75 and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:57
S77	49878	server near2 (authentica\$4 or access\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:58
S78	294	S76 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:58
S79	96382	personal with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:58
S80	128	S78 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 11:04
S81	128	S78 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 11:04
S82	30	("5689638").URPN.	USPAT	OR	ON	2005/03/09 11:05
S83	1	"5465290".PN.	USPAT; USOCR	OR	ON	2005/03/09 11:09
S84	1	"5402490".PN.	USPAT; USOCR	OR	ON	2005/03/09 11:10
S85	32	("5402490").URPN.	USPAT	OR	ON	2005/03/09 11:13
S86	79	("5148481").URPN.	USPAT	OR	ON	2005/03/09 11:15
S87	35751	encrypt\$4 with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 13:43

S88	1180	cryptograph\$4 with circuit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 13:43
S89	5024	authentikat\$4 with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 13:43
S90	53952	user with access\$4 with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 13:44
S91	1504	personal with authentikat\$4 with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 13:44
S92	3	S87 and S88 and S89 and S90 and S91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 13:52
S93	33	((("6865674") or ("6859878") or ("6851050") or ("6826695") or ("6772350") or ("6732277") or ("6732178") or ("6701367") or ("6681330") or ("6668332") or ("6654801") or ("6611916") or ("6408336") or ("6249868") or ("6243816") or ("6141687"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 13:55
S94	0	S93 and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 13:56
S95	7	S93 and S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 13:56
S96	10	("5937068").URPN.	USPAT	OR	ON	2005/03/09 14:10
S97	5	("6463537").URPN.	USPAT	OR	ON	2005/03/09 14:10
S98	2	("6694436").URPN.	USPAT	OR	ON	2005/03/09 14:10
S99	17	S96 or S97 or S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:11

S10 0	0	S99 and S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:11
S10 1	7	S99 and S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:11
S10 2	1	("6226511").URPN.	USPAT	OR	ON	2005/03/09 14:11
S10 3	5	("6463537").URPN.	USPAT	OR	ON	2005/03/09 15:56
S10 4	3	Piphany.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 15:56
S10 5	24	"E.Piphany".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 15:58
S10 6	57	Belani.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 15:59
S10 7	4799	"Wireless Application Protocol"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 15:59
S10 8	10006	authentica\$4 near2 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 15:59
S10 9	341	S107 and S108	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 16:00
S11 0	228	encrypt\$4 and S109	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 16:00

S11 1	78	(computer near2 network\$4) and administrat\$4 and S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 16:01
S11 2	162566	access\$4 near3 control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 16:01
S11 3	38	S112 and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 16:25
S11 4	24329	(module or device or circuit or component) with (encrypt\$4 or cryptograph\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 16:27
S11 5	1841	S108 and S114	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 16:27
S11 6	113	S115 and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 16:28
S11 7	144612	computer near3 network\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 16:28
S11 8	68	S117 and S116	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 16:50
S11 9	6	S118 and WEP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 16:52
S12 0	249	"Wired Equivalent Privacy"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 16:52

S12 1	64	S108 and S120	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 16:52
S12 2	60	S121 and encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 16:58
S12 3	466242	(disk or drive or gateway or point or computer or processor) with (stor\$4 or keep\$4 or maintain) with (data or information or files)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 16:58
S12 4	247904	(disk or drive or gateway or point or computer or processor) with (control\$4 or manager\$4 or management\$4 or administer\$4 or administrat\$4) with (using or use or access\$4 or entry\$4 or utilize or uilization)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 17:00
S12 5	11208	(disk or drive or gateway or point or computer or processor) with (authenticat\$4 or certif\$4 or validat\$4 or verif\$4) with (control\$4 or manager\$4 or management\$4 or administer\$4 or administrat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 17:01
S12 6	4330	S123 and S124 and S125	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 17:02
S12 7	23798	"713"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 17:02
S12 8	369	S126 and S127 and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 17:02
S12 9	157	S128 and "computer network"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 17:03
S13 0	157	S128 and "computer network"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/09 17:03

S13 1	528713	access\$4.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 17:03
S13 2	83	S130 and S131	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 17:03
S13 3	17	("5896499").URPN.	USPAT	OR	ON	2005/03/09 17:33
S13 4	61	("5483596").URPN.	USPAT	OR	ON	2005/03/09 17:40
S13 5	123219	computer near2 network\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:11
S13 6	187024	user with access\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:11
S13 7	1501	encrypt\$4 with S136 with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:11
S13 8	635	S137 and S135	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:11
S13 9	226	S138 and @ad<"20000731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:12
S14 0	397022	access.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:12
S14 1	96	S140 and S139	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 18:12

S14 2	465	"firewall router"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 07:13
S14 3	673	administrator with router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 07:10
S14 4	16	encrypt\$4 and S142 and S143	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 07:14
S14 5	2639	firewall with router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 07:14
S14 6	58	encrypt\$4 and S145 and S143	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 07:17
S14 7	1325	(router or disk or drive or device or module or filter) with (manag\$4 or administ\$4) with (input\$4 or interfac\$4 or connect\$4 or enter\$4 or alter\$4 or modif\$4 or updat\$4) with (access\$4 or password\$4 or authorizat\$4 or certificat\$4 or signatur\$4).with (user or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 07:37
S14 8	10038	(authenticat\$4 near2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 07:38
S14 9	120	S147 and S148	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 07:21
S15 0	4251	S148 and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 07:40

S15 1	40	S149 and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 07:21
S15 2	119	("6012088").URPN.	USPAT	OR	ON	2005/03/10 07:34
S15 3	4	S152 and (authentica\$4 near2 server) and encrypt\$4 and access\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 07:35
S15 4	1484	(router or disk or drive or device or module or filter or point or gateway) with (manag\$4 or administ\$4) with (input\$4 or interfac\$4 or connect\$4 or enter\$4 or alter\$4 or modif\$4 or updat\$4) with (access\$4 or password\$4 or authorizat\$4 or certificat\$4 or signatur\$4) with (user or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 07:37
S15 5	50878	((authentica\$4 or access\$4 or certi\$5 or autoriz\$4) near2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:41
S15 6	528921	access\$4.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 07:40
S15 7	130	S154 and S155 and S156 and encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 07:40
S15 8	59	S157 and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 08:26
S15 9	3	("6728884").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 08:26
S16 0	1	S159 and encrypt\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 08:27

S16 1	2	"heterogeneous security systems"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 08:29
S16 2	3724	encrypt\$4 with user with access\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 08:29
S16 3	48	encrypt\$4 with user with access\$ with circuit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 11:34
S16 4	967	713/193.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:27
S16 5	226319	disk near2 driv\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:07
S16 6	453	encrypt\$4 near2 driv\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:08
S16 7	253	S165 and S166	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 11:28
S16 8	39	S167 and S164	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:27
S16 9	25	S168 and access\$4 and (computer\$4 with network\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:22
S17 0	658	713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:27

S17 1	19	S167 and S170	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:27
S17 2	2	S168 and S171	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:28
S17 3	20	("5677952").URPN.	USPAT	OR	ON	2005/03/10 09:31
S17 4	1122	235/382.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:31
S17 5	0	S174 and S167	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:32
S17 6	1	709/229.ccls. and S167	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:33
S17 7	3	(711/111.ccls or 711/112.ccls. or 711/113.ccls. or 711/114.ccls.) and S167	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:35
S17 8	12	713/201.ccls. and S167	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:38
S17 9	362	(disk or driv\$3) with encrypt\$4 with (user or client or person or subject or customer) with (access\$3 or authorizat\$4 or authenticat\$3 or certificat\$3 or validat\$4 or password\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:40
S18 0	201	S179 and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 11:27

S18 1	50878	((authenticat\$4 or access\$4 or certi\$5 or authoriz\$4) near2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:06
S18 2	40	S181 and S180	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:58
S18 3	2741	(disk or driv\$3) with authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:58
S18 4	4330	(disk or driv\$3) with encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:58
S18 5	561	S183 and S184	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:59
S18 6	145	S181 and S185	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:59
S18 7	217310	computer with network\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:59
S18 8	113	S187 and S186	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 09:59
S18 9	111	S188 and access\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:00
S19 0	61	S189 and (user with password\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:43

S19 1	1769	Barlow.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:44
S19 2	25	S191 and IC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:49
S19 3	2	("6038551").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 10:50
S19 4	1012	(smart near2 card) and (authenticat\$4 near2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:50
S19 5	207	(system near2 administrat\$4) and S194	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:51
S19 6	207	S195 and access\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 10:52
S19 7	92	S196 and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 11:23
S19 8	4	"2002007177"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 11:27
S19 9	2	"20020007177"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 11:27
S20 0	563	"7177"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 11:29

S20 1	248	"2002" and "7177"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 11:30
S20 2	5	"2002" and "7177" and game	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 11:30
S20 3	4	"2002007177"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 11:30
S20 4	5	"2003007177"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 11:31
S20 5	4	"2001007177"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 11:32
S20 6	28	cryptograph with (circuit or mechanism or device or component) with stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 11:32
S20 7	2140	nintendo and game	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 11:34
S20 8	136	S207 and disk and drive and encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:37
S20 9	2	("6599194").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 12:37
S21 0	2	"20020077177"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:03

S21 1	2	S210 and ((password or certificat\$3 or certif\$3 or signat\$4 or access\$4) with (server or administrat\$3 or control\$3 or provider or station or engine or processing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:07
S21 2	1	S210 and ((password or certificat\$3 or certif\$3 or signat\$4 or access\$4) with (server or administrat\$3 or control\$3 or provider or station or engine or processing) with (user or player))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 14:57
S21 3	55	user with interface with encrypt with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:02
S21 4	14	interface with encrypt with password\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:05
S21 5	285	(interface or GUI or prompt\$4) with encrypt\$4 with password\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:25
S21 6	50878	((authentikat\$4 or access\$4 or certi\$5 or autoriz\$4) near2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:06
S21 7	122	S216 and S215	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:07
S21 8	34	S217 and (disk near2 drive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:15
S21 9	4	S218 and ((card with authentication) and (card with access\$4) and (card with encrypt\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:21
S22 0	758	(card with authentikat\$4) and (card with access\$4) and (card with encrypt\$4) and (card with interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:22

S22 1	368	S220 and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:22
S22 2	139128	network with access\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:22
S22 3	140916	network\$4 with access\$4.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:23
S22 4	176	S223 and S221	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:23
S22 5	220305	user and personal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:23
S22 6	157	S224 and S225	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:24
S22 7	104	S226 and (computer\$4 near2 network\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:24
S22 8	72	S227 and (encrypt\$4 with user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:25
S22 9	0	S228 and ((interface or GUI or prompt\$4) with encrypt\$4 with password\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 15:26
S23 0	46	S228 and (encrypt\$4 with password\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:01

S23 1	13	universal near2 portable near2 unit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:04
S23 2	326	personal near2 portable near2 unit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:04
S23 3	98	personal near2 portable near2 disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:05
S23 4	11188	encrypt\$4 and ((authenticat\$4 or access\$4) near2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:05
S23 5	9	(S232 or S233) and S234	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:10
S23 6	934	personal with user with encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:11
S23 7	5058	encrypt\$4 with interfac\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:11
S23 8	140	S236 and S237	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:11
S23 9	47	S238 and S234	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:26
S24 0	14	"20010152123" "20010025796" "6202055" "20010072349"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:26

S24 1	2	"20020077177"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:51
S24 2	2	S241 and encrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 16:57
S24 3	2	S241 and (password or request or data or name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:06
S24 4	27	smartcard and (proxy near2 security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:10
S24 5	758	(card with encrypt\$4) and (card with interface) and (card with authentica\$4) and (card with access\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:11
S24 6	10402	personal with access\$4 with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:11
S24 7	85	S245 and S246 and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:12
S24 8	43	S247 and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:22
S24 9	0	S248 and (disk with encrypt\$4 with circuit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:21
S25 0	150	(disk with encrypt\$4 with circuit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:21

S25 1	87	S250 and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:33
S25 2	2	("6199163").URPN.	USPAT	OR	ON	2005/03/10 17:31
S25 3	8	S251 and (encrypt\$4 with user with password\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 17:33